




six degrees
FLOORING SURFACES™

a forward thinking stair tread solution

Impression™
LUXURY VINYL STAIR TREADS





Impression™ Stair Treads

How does the saying go? You never get a second chance to make a first Impression. Well, with Impression™ Luxury Vinyl Stair Treads, you won't need one. Our unique and expertly engineered tread designs match perfectly with many of our top-selling styles, so the transition from floor to stairs flows smoothly. The one-piece tread/riser design is constructed from the same high quality, heavy commercial vinyl plank we produce in our US manufacturing facility, ensuring you, our customer, a consistent and beautifully finished product every time. Impression™ treads from Six Degrees... *a forward thinking stair tread solution.*

San Francisco IS221_C36 with visual strip
On the cover: Portland IS236_C13

*(S) – VISUAL STRIPS


To add the Visual Strip, please specify an "S" at the end of the part number. Example: IS211_C01S



IS211_C01 *(S) Gingered Beech
 Caulk: IC211_C01



IS330_C22 *(S) Omaha
 Caulk: IC330_C22



IS220_C12 *(S) Birmingham
 Caulk: IC220_C12



IS215_C08 *(S) Toasted Teak
 Caulk: IC215_C08



IS236_C13 *(S) Portland
 Caulk: IC236_C13




IS406_C09 *(S) Park City
 Caulk: IC406_C09




IS233_C05 *(S) Limed Gray Oak
 Caulk: IC233_C05



IS221_C36 *(S) San Francisco
 Caulk: IC221_C36



IS330_C02 *(S) Cleveland
 Caulk: IC330_C02



IS174_C15 *(S) Steely Ash
 Caulk: IC174_C15



Technical

FEATURES

- Exact match to our 3 mm/28 mil LVT options
- One-piece tread-riser design with the break at the riser makes for a clean smooth finish
- Matching optional J-channel accessory available for a clean install and look
- Optional visual strip can be incorporated into the film layer
- Treads can be customized during production to accommodate existing vintage buildings
- GREENGUARD Gold Certified
- Ceramic-Reinforced UV-Cured Finish
- Enhanced with EnviroSD™ Anti-Bacterial Agent
- Extremely Durable
- Excellent Indentation Resistance
- Excellent Chemical Resistance
- Excellent Slip Resistance
- 100% Recyclable



IMPRESSION™ STAIR TREAD SPECIFICATIONS/PACKAGING

Tread Depth: 14-1/8"
 Riser Height: 8-1/4"
 (Depth and height can be trimmed to fit)
 Lengths: 36" up to 108"

TEST INFORMATION


ASTM F 1700 – Solid Vinyl Tile: Class III, Type A& B
 ASTM E 648 – Critical Radiant Flux: Class I, >.45 W/cm²
 ASTM E 662 – Smoke Density: Pass
 ASTM D 2047 – Slip Resistance: > 0.60
 ASTM F 970 – Static Load Limit: 250 PSI, < .005" Indentation
 ASTM F 925 – Chemical Resistance: Excellent (chart available)
 ASTM F 1515 – Light Stability: Pass

WARRANTY

- 10-Year Commercial Warranty



Park City
IS406_C09



For the most current and complete technical, installation and maintenance information, please visit sixdegreesflooring.com

Welcome to the exciting world of Six Degrees Flooring Surfaces™. When you select a floor from Six Degrees, you can rest assured you have selected one made from the highest quality, locally-sourced raw materials in a state of the art, family-owned factory, right here in the USA. Our products are both durable and beautiful, and we take great pride in providing our customers with the best possible service and care. Innovative production technology, superior wear and scratch resistance, and our commitment to both you, our customer, and the environment are what set us apart from the rest.

American made. American served. You're just a few steps away from *the high quality and high style of Six Degrees Flooring Surfaces.™*



Omaha
IS330_C22

Designer Inspired

Readily Available

Highly Durable

Low Maintenance

Eco Friendly

Easy Installation

you're just a few steps away



six degrees
FLOORING SURFACES™

931 South Springville Avenue • Fostoria, Ohio 44830

844-432-5885

sixdegreesflooring.com

